

## 1. Identification

<b>Product identifier</b>	<b>HIGH PERFORMANCE CERAMIC REPAIR PUTTY PART B</b>	
<b>Other means of identification</b>	None.	
<b>Recommended use</b>	Highly abrasive service	
<b>Recommended restrictions</b>	None known.	
<b>Manufacturer/Importer/Supplier/Distributor information</b>		
	RR&C	
<b>Address</b>	P.O. Box 67000 Detroit, MI 48267-2791	
<b>Hours of Operation</b>	8:00 a.m. - 5:00 p.m.	
<b>Telephone Number</b>	1-216-515-7712	
<b>CHEMTREC</b>	1-800-424-9300	

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not classified.	

### Label elements



<b>Signal word</b>	Danger
<b>Hazard statement</b>	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
<b>Response</b>	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment see Section 4 of this SDS.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
[3-(AMINOMETHYL)PHENYL]METHANAMINE		1477-55-0	1 - 10
4,4'-ISOPROPYLIDENEDIPHENOL		80-05-7	1 - 10
BENZYL ALCOHOL		100-51-6	1 - 10
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	< 1
PHENOL		108-95-2	< 1
Other components below reportable levels			93.45999999952

#### 4. First-aid measures

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Wash clothing separately before reuse. Call a physician or poison control center immediately.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not use mouth-to-mouth method if victim ingested the substance. Call a physician or poison control center immediately.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Prolonged exposure may cause chronic effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Rash. Skin irritation. May cause an allergic skin reaction. May cause redness and pain. Dermatitis.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim warm. In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Ensure adequate ventilation. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
--	---

## Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep or scoop up and remove. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use personal protective equipment as required. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
PHENOL (CAS 108-95-2)	PEL	19 mg/m <sup>3</sup> 5 ppm

#### US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value
[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Ceiling	0.018 ppm
PHENOL (CAS 108-95-2)	TWA	5 ppm

#### NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Components	Type	Value
PHENOL (CAS 108-95-2)	IDLH	1.8 % 250 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value
[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Ceiling	0.1 mg/m <sup>3</sup>
PHENOL (CAS 108-95-2)	Ceiling	60 mg/m <sup>3</sup> 15.6 ppm
	TWA	19 mg/m <sup>3</sup> 5 ppm

## US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components	Type	Value
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m <sup>3</sup>
		10 ppm

### Biological limit values

#### ACGIH Biological Exposure Indices (BEI)

Components	Value	Determinant	Specimen	Sampling Time
PHENOL (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

\* - For sampling details, please see the source document.

**Exposure guidelines** Occupational Exposure Limits are not relevant to the current physical form of the product.

#### US - California OELs: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Can be absorbed through the skin.
PHENOL (CAS 108-95-2)	Can be absorbed through the skin.

#### US - Minnesota Haz Subs: Skin designation applies

PHENOL (CAS 108-95-2)	Skin designation applies.
-----------------------	---------------------------

#### US - Tennessee OELs: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Can be absorbed through the skin.
PHENOL (CAS 108-95-2)	Can be absorbed through the skin.

#### US ACGIH Threshold Limit Values: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Danger of cutaneous absorption
PHENOL (CAS 108-95-2)	Danger of cutaneous absorption

#### US NIOSH Pocket Guide to Chemical Hazards: Skin designation

[3-(AMINOMETHYL)PHENYL]METHANAMINE (CAS 1477-55-0)	Can be absorbed through the skin.
PHENOL (CAS 108-95-2)	Can be absorbed through the skin.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2)	Can be absorbed through the skin.
-----------------------	-----------------------------------

**Appropriate engineering controls** Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not get in eyes, on skin, on clothing. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** Highly filled paste.

**Physical state** Paste.

**Form** Liquid. Paste.

**Color** Not available.

**Odor** Amine.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	≥200.0 °F (≥93.3 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	2.26 g/l @25°C
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Acids. Chlorine.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

#### Acute toxicity

Product	Species	Test Results
HIGH PERFORMANCE CERAMIC REPAIR PUTTY PART B		
<b>Acute</b>		
<b>Dermal</b>		
ATEmix		3760 mg/kg bw

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
<b>Inhalation</b> <i>Vapor</i> ATEmix		179.1 mg/l
<b>Oral</b> ATEmix		5600 mg/kg bw
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
BENZYL ALCOHOL (CAS 100-51-6)		
<b>Acute</b>		
<b>Dermal</b> LD50	Rabbit	2000 mg/kg
<b>Inhalation</b> LC50	Rat	> 4.178 mg/l, 4 Hours
<b>Oral</b> LD50	Rat	1230 - 3100 mg/kg
<b>Skin corrosion/irritation</b>	Causes skin irritation.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	May cause an allergic skin reaction.	
<b>Germ cell mutagenicity</b>	Suspected of causing genetic defects.	
<b>Carcinogenicity</b>	Risk of cancer cannot be excluded with prolonged exposure.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
PHENOL (CAS 108-95-2)	3 Not classifiable as to carcinogenicity to humans.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>		
Not listed.		
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>		
Not listed.		
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child.	
<b>Specific target organ toxicity - single exposure</b>	Not classified.	
<b>Specific target organ toxicity - repeated exposure</b>	Not available.	
<b>Aspiration hazard</b>	Not an aspiration hazard.	

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
HIGH PERFORMANCE CERAMIC REPAIR PUTTY PART B		
<b>Aquatic</b>		
Crustacea	EC50	Daphnia
Fish	LC50	Fish
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
BENZYL ALCOHOL (CAS 100-51-6)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )
		10 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

4,4'-ISOPROPYLIDENEDIPHENOL	3.32
BENZYL ALCOHOL	1.1
PHENOL	1.46

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

<b>UN number</b>	UN2735
<b>UN proper shipping name</b>	Amines, liquid, corrosive, n.o.s. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	II
<b>Environmental hazards</b>	Yes
<b>ERG Code</b>	8L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

#### IMDG


<b>UN number</b>	UN2735
<b>UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-B
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable. Not established.

IATA; IMDG



Marine pollutant



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

PHENOL (CAS 108-95-2) 1000 LBS

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
PHENOL	108-95-2	1000		500	10000

**SARA 311/312**

**Hazardous chemical**

Yes

**Classified hazard categories**

Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization  
Reproductive toxicity

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
4,4'-ISOPROPYLIDENEDIPHENOL	80-05-7	1 - 10
PHENOL, 4-NONYL-, BRANCHED	84852-15-3	1 - 10

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

4,4'-ISOPROPYLIDENEDIPHENOL (CAS 80-05-7)

PHENOL (CAS 108-95-2)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Contains component(s) regulated under the Safe Drinking Water Act.

**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

PHENOL (CAS 108-95-2)

Low priority

**US state regulations**

**California Proposition 65**



**WARNING:** WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**California Proposition 65 - CRT: Listed date/Developmental toxin**

4,4'-ISOPROPYLIDENEDIPHENOL (CAS 80-05-7) Listed: December 18, 2020

**California Proposition 65 - CRT: Listed date/Female reproductive toxin**

4,4'-ISOPROPYLIDENEDIPHENOL (CAS 80-05-7) Listed: May 11, 2015

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 06-10-2025

**Version #** 01

**NFPA ratings**  
Health: 2  
Flammability: 1  
Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.